FORENSIC PATHOLOGIST
ATTORNEY AT LAW
CHIEF MEDICAL EXAMINER



228-8311

EXT. 671 (DAY)
EXT. 212 (NIGHT)

OFFICE OF THE MEDICAL EXAMINER OF HARRIS COUNTY

HARRIS COUNTY COURT HOUSE HOUSTON, TEXAS 77002

AUTOPSY REPORT

CASE 73 - 3377

August 15, 1973

PATHOLOGICAL DIAGNOSIS ON THE BODY

OF

Homer Luis Garcia 5474 Darnell Street Houston, Texas

Gunshot wounds (3) of head and chest.

OPINION

It is our opinion that the decedent, Homer Luis Garcia, came to his death as a result of gunshot wounds (3) of head and chest, homicide.

It is our further opinion that his death occurred on or about July 18, 1973.

COMMENT: Mr. Luis Garcia was notified by telephone by Dr. Joseph A. Jachimczyk, on August 28, 1973.

Joseph A. Jachamczyk, M.D., J.D.

Chief Medical Examiner

POSTMORTEM EXAMINATION ON THE BODY OF

Homer Luis Garcia 5474 Darnell Street Houston, Texas

HISTORY: This unidentified white male body was found at approximately the same time that three other bodies were uncovered during the evening of August 9, 1973, near Lake Sam Rayburn in San Augustine County, Texas. One was identified as William Ray Lawrence. His body was not sent to the Harris County Morgue. The remaining three were sent to this morgue. (73-3376, 73-3377 and 73-3378). The three bodies arrived at the Harris County Morgue at 1:00 p.m. on August 11, 1973.

AUTOPSY: The autopsy was performed by Chief Medical Examiner Joseph A. Jachimczyk, M.D., assisted by Assistant Medical Examiners Ethel E. Erickson, M.D., and G. Sheldon Green, M.D., and assisted by Dr. Paul G. Stimson, beginning at 9:45 a.m. on August 15, 1973, in the Harris County Morgue.

SPECIMEN: These were the remains of a young white male measuring 70 inches in length and weighing approximately 100 pounds. The body was covered with a white embalmer's preservative powder. The head was covered with dark brown hair, measuring up to 8 inches in length. There was considerable decomposition of the tissues over the head and face. The mouth was wide open. On the left side of the scalp, there were two qunshot entrance wounds. One was located at the level of the middle tragus of the left external ear, 1-1/8 inches medial thereto. This measured .22 inches in diameter. There was another gunshot entrance wound at the level of the superior tip of the left external ear, but 3 inches superior thereto. This wound was also .22 inches in diameter. There was a fairly deep ligature groove in the upper neck. There was a Y-shaped incision over the anterior trunk. There was brown discoloration and depression around the right wrist. The depression was most conspicuous on the dorsal surface. X-rays disclosed a small caliber bullet in the left chest area, approximately in the region of ribs 4 and 5. In the left chest at a point 3 inches below the left anterior axillary line, there was a gunshot wound of entrance, measuring .22 inches in diameter. There was hemorrhagic discoloration into the pectoralis musculature in the V portion of the previously made Y-shaped incision. The back was grossly intact. In the left back at a point 13-1/2 inches below the foramen magnum and 3-1/2 inches to the left of the mid line, just beneath the skin, there was a well shaped .22 caliber bullet recovered, initialed with a "J" and placed in a specimen container for safekeeping. The anal sphincter proper was intact, but the anal orifice was gaping widely. Smears from the anal orifice were negative for spermatozoa. Surrounding the gunshot entrance wound, in an

area in the left upper chest, there was purple-black discoloration, measuring 9 inches from head to toe dimension and 6 inches from left to right dimension. When this flap was reflected laterally, there was hemorrhage into the pectoralis musculature. Both the thoracic and abdominal viscera were still in situ, except where sections were taken and wherever there was a heavy amount of lime. The residual viscera were eviscerated. The appendix was long, thin and stringy, and attached to the tip of the cecum. The abdominal viscera were in an advanced state of decomposition.

HEART: The remaining portion of the heart weighed 90 grams. Except for the decomposition, there were no cardiac abnormalities.

LUNGS: The right lung weighed 130 grams. It was mostly collapsed and decomposing. The left lung weighed 150 grams. It, too, was mostly collapsed and decomposing, but it did not have the firm, relatively smooth, pleural surface that the right lung had. On section into the left lung, there were many areas of dark purple discoloration.

LIVER: The residual liver weighed 440 grams. On section, the cut surfaces were soft and honeycombed, and green-brown. The gallbladder was collapsed and empty.

Pancreas and adrenals were mostly autolyzed.

SPLEEN: The spleen weighed 30 grams. The capsule was wrinkled. On section, the cut surfaces revealed a soft, honeycombed, purple-brown appearance.

GENITOURINARY TRACT: The kidneys together weighed 150 grams. Except for the decomposition, there were no abnormalities.

GASTROINTESTINAL TRACT: The stomach was empty. The intestines were decomposing.

NECK ORGANS: The V-flap was reflected cephalad. There was hemorrhage into the strap muscles of the lower neck. Except for the state of decomposition, there were no other abnormalities. The larynx, pharynx and hyoid bone were intact. The tongue was intact.

HEAD: The scalp was reflected in the usual coronal fashion. There were two gunshot entrance holes; one in the left temporal bone and the other in the left parietal bone. Each of these was round and had beveled edges inwardly, and measured .25 inches in diameter.

The residual brain tissue weighed 650 grams. It was mushy gray-tan. Two markedly misshapen .22 caliber bullets were recovered in the mushy substance, initialed with a "J" at the base and placed in a specimen container for safekeeping. Each bullet had a mushroomed appearance.

PATH OF THE MISSILE: The bullet entered the chest at a point 3 inches below the left axilla along the left anterior axillary line, entered the 4th left interspace through the left lung, through the left leaf of the diaphragm, the 9th left interspace, and was recovered in the back at a point 13-1/2 inches below the foramen magnum and 3-1/2 inches to the left of the mid line, thus traveling from front to back, but from head to toe at an angle of approximately 15 degrees, and just slightly from left to right at an angle of approximately 10 degrees.

DENTAL EXAMINATION

Universal System: The upper right and left third molars are not present. The lower right and left third molars are in bony crypts. There is distal buccal caries on the upper right second molar, tooth #2. There is a mesial occlusal amalgam in the upper right first molar, tooth #3. There is mesial occlusal amalgam and a distal and buccal amalgam on the upper left first molar, tooth 14. There is a buccal pit amalgam on the lower left second molar, as well as an occlusal lingual amalgam in the same tooth; this is tooth 18. In the lower left first molar, there is mesial occlusal amalgam and a buccal pit amalgam; this is tooth 19. There is a mesial occlusal amalgam and a buccal amalgam in the lower right first molar. This is tooth 30. There is an occlusal amalgam in the lower right second molar, and a buccal amalgam on tooth 31. Number 5 is rotated to the mesio-buccal. Number 6 is submerged. There is a diastema between tooth 10 and 11. Number 10 has mesial labial rotation with overlap of 9. Number 11 is submerged. Number 12 is in mesial buccal rotation. Number 13 is in mesial lingual rotation. Number 21 and 22 are in mesial buccal rotation. Number 23 is in lingual version and blocked between tooth 22 and 24. Number 24 is in mesial labial rotation. Number 25 is in labial version, blocked out by tooth 24 and 26. Number 26 is in lingual version, blocked out by tooth 25 and 27. Tooth 27 is in mesial labial rotation and tooth 28 is in mesial labial rotation. The jaw relationship is end to end with a slight Class III. The teeth are extremely crowded.

Our records were compared with those of Louis A. Sanchez, D.M.D., of 5212 Cedar Street, Bellaire, Texas, 77401. I received a call from Dr. Sanchez at 1:15 p.m. on August 13, 1973, about Homer Garcia. Dr. Sanchez stated that he did three or four fillings, only, and he only charted that work that he did. However, prior to beginning treatment, he had taken some bite wing X-rays dated October 19, 1972. They showed similar amalgam fillings in tooth #19 and #14, as well as #3 and #30. He had subsequently done fillings in #18 and #31, which were both occlusal and buccal fillings. Upon comparison, there were 12 points of consistency; one in #3, two in #14, two in #18, two in #19, two in #30, and two in #31. The ante and postmortem X-rays could be superimposed on #3, #14, #19 and #30, and fitted exactly. Therefore, based upon a reasonable medical probability, it is our opinion that these are the remains of Homer Garcia.

Paul G. Stimson, D. D. S., M.S.

fail & Stemson

Autopsy

INVESTIGATOR'S REPORT

Investigator: _	H.	C.	Gregory
In Cotigutor			

View

Case No. _____73-3377

Decedent:	Homer Luis Garcia Race W Sex M Age	15
Address:	5474 Darnell Street, Houston, Texas	
Death:	FOUND August 10, 1973 Approx. Time 7:00	A.M. RXK
Place of Death:	200 Yards Off F.M. 3185, San Augustine County, Texas	
Place of Inquest:	200 Yards Off F.M. 3185, San Augustine County, Texas	
Date and Time of Inquest:		A.M. P.M.
Ii Desision and Sum	aundings of Rody:	

Location, Position, and Surroundings of Body:

The decedent was found face down in a grave.

Clothing:

The decedent was nude.

The St. Augustine County Sheriff's Department, Deputy Information: Sheriff Richard Davis furnished the following information on August 11, 1973, at the Harris County Morgue.

The decedent identified as "Unknown #21" was found about the above time on the above date when Wayne Henley, (suspect in this case), led St. Augustine County Sheriff John Hoyt to a gravesite located about 250 yards south of the gravesite of William Ray Lawrence, near the above location. Henley identified the gravesite by several crossed sticks on top of the ground. Beneath the sticks was a thin layer of earth, beneath which was a substance similar to lime. Beneath the lime substance was a masonite board covering the hole in which a plastic covering was laid. The decedent had been rolled into the plastic covering and taped with silver colored air conditioning tape. The plastic covering was secured around the decedent's face and head by a plastic binder which encircled the decedent's neck outside of the plastic covering. The decedent's wrists were taped behind his back with the silver colored air conditioning tape. His ankles were not bound and he was not gagged. No lime substance was within the plastic covering. The plastic binder which secured the plastic covering around the decedent's head was tagged at the Harris County Morgue under "Unknown #21, ML 73-3377." Scene photographs were made by Texas Department of Public Safety, Austin, Texas.

An autopsy was performed at the Wyman Roberts Funeral Home, St. Augustine, Texas, on August 10, 1973, by Dr. Jack Pruitt of Lufkin, Texas. The diagnosis was strangulation.

Deputy Davis made the statement that Henley stated that one of the "Unknown #20, #21 or #22 could be a boy named Garcia".

Property:

H. C. Gregory

There was no property involved.

Transferred to Morgue by:

Funeral Home Conducting Service: Pat H. Foley & Co., Houston, Texas

Rec: 11:20 am 4-15-14 ym

Case No. Name
To Date Out

13-3377 Homer L. Darcia Son Lambergh & 4-26-79

Airl D.C.

Rec: 4-26-74

73-5377

	ATH			2. USUAL RESIDENCE (Where d	eceased lived. If institution b. COL		admission)
a. COUNTY	San Augustin	ne		a. STATE	В. СОС	Harri	5
b. CITY OR	TOWN (If outside city limits, give pr		c. LENGTH OF STAY	c. CITY OR TOWN (If out	rside city limits, give precin	et no.)	
Pre	einct #3		Unknown	lioust	on	The state of	
d. NAME OF	F (If not in hospital, give street address	found)		d. STREET ADDRESS (If ru	ral, give location)		
HOSPITAL		f F.M.	3185		Darnoll		7.51.0
e. IS PLACE	OF DEATH INSIDE CITY LIMITS?			e. IS RESIDENCE INSIDE	CITY LIMITS?	f. IS RESIDENCE	
	Y	ES	NO	YES	№ □	YES	□ NO■
NAME OF DECEASED	(a) First		(b) Middle	(c) Last	4. DATE OF DEATH		AND IN THE TANK
(Type or print)	HONER	1	UIS	GARCIA	Found Aug	ust 9, 1	EAR IF UNDER 24 HRS
. SEX	6. COLOR OR RAG	CE 7.	arried Never Married	8. DATE OF BIRTH	last birthday	Months Days	Hours Minutes
Male	White		dowed Divorced D	February 19, 1	958 15		
Oa. USUAL OCC	CUPATION (Give kind of work done)	Ob. KIND OF BU	ISINESS OR INDUSTRY	11. BIRTHPLACE (State or foreign	gn country)		F WHAT COUNTRY?
Studen	f working life, even if retired)	Scho	el	Texas		100	U.S.A.
3. FATHER'S NA	The state of the s			14. MOTHER'S MAIDEN NAM	IE		
	Luis Garcia			Dora	Castanoda		
	SED EVER IN U.S. ARMED FORCE	ES? 16. SC	OCIAL SECURITY NO.	17. INFORMANT			
Yes, no, or unknow	(If yes, give war or dates of se	45	3-11-6296	Lais	Garcia (by	phone)	
	OF DEATH [Enter only one cause p	er line for (a), (b),	and (c).]		Lodged Fre		ONSET AND DEATH
PART I	, DEATH WAS CAUSED BY:	Con	nshot wound	in (2) of hour	d and ohne	as the	
	IN ALTERIATE O	ALICE I-1	DESCRIPTION OF AN ADMINISTRA	in (3) ar mass	A STATE PARTY	ac.	
	IMMEDIATE C	CAUSE (a)			a state Crac:		Continuodad
which g	ions, if any,	AUSE (a)	THINK ONLY		a and Gir.		Testimustad
which g	ions, if any, gave rise to cause (a),	JE TO (b)			i aim Cac.	Tephanikh	Continue of C
which g above o stating lying ca	ions, if any, ave rise to cause (a), the under- ause last.	JE TO (b)	Turals cetta			t soils mills	Control of the color of the col
which g above o stating lying ca	ions, if any, ave rise to cause (a), the under- ause last.	JE TO (b)	Turals cetta			t soils mills	19. WAS AUTOPSY PER
which g above o stating lying ca	ions, if any, ave rise to cause (a), the under- ause last.	JE TO (b)	Turals cetta			t soils mills	19. WAS AUTOPSY PEI FORMED? YES NO
which g above c stating lying ca	ions, if any, pave rise to cause (a), the under- ause last. DL OTHER SIGNIFICANT CONDITI	JE TO (c)ONS CONTRIBUT	TING TO DEATH BUT NOT F		ase condition given	IN PART I(a)	FORMED?
which g above c stating lying ca PART I 20a. ACC	ions, if any, pave rise to cause (a), the under- ause last. DL II. OTHER SIGNIFICANT CONDITI CIDENT SUICIDE HO	JE TO (c)ONS CONTRIBUT	TING TO DEATH BUT NOT F	RELATED TO THE TERMINAL DISE.	ase condition given	IN PART I(a)	FORMED?
which g above c stating lying ca PART I 20a. ACC	ions, if any, lave rise to cause (a), the under- ause last. DL II. OTHER SIGNIFICANT CONDITI CIDENT SUICIDE HO	JE TO (b)	TING TO DEATH BUT NOT F	RELATED TO THE TERMINAL DISE.	ase condition given	IN PART I(a)	FORMED?
which g above c stating lying ca which g above c stating lying ca with the property of the pro	ions, if any, pave rise to cause (a), the undersuse last. DL. OTHER SIGNIFICANT CONDITION CIDENT SUICIDE HO F Hour Month Day a.m.	JE TO (b) JE TO (c) ONS CONTRIBUT MICIDE 20b. D	TING TO DEATH BUT NOT F	RELATED TO THE TERMINAL DISE.	ase condition given	IN PART I(a)	FORMED?
WEDICAL CERTIFICATION WHICH GE STATE OF THE CATON PART I 20a. ACC INJURY 20c. TIME O INJURY	cons, if any, lave rise to cause (a), the underause last. DL II. OTHER SIGNIFICANT CONDITI CIDENT SUICIDE HO III. OF Hour Month Day a.m. p.m.	JE TO (b) JE TO (c) ONS CONTRIBUT WICIDE 20b. D Year	TING TO DEATH BUT NOT F DESCRIBE HOW INJURY OC	RELATED TO THE TERMINAL DISE.	ASE CONDITION GIVEN Part I or Part II of Item	IN PART I(a)	FORMED?
Which g above c stating lying ca stating lying ca PART I 20a. ACC INJURY 20d. INJURY 20d. INJURY	cons, if any, lave rise to cause (a), the underause last. DL II. OTHER SIGNIFICANT CONDITI CIDENT SUICIDE HO OF Hour Month Day a.m. p.m. COCCURRED 20e. PLACE C street of	JE TO (b) JE TO (c) ONS CONTRIBUT Year OF INJURY (e.g., if fice building, etc.)	TING TO DEATH BUT NOT F DESCRIBE HOW INJURY OC	CCURRED, (Enter nature of injury in	ASE CONDITION GIVEN Part I or Part II of Item ON COU	IN PART I(a) 8.)	FORMED? YES NO STATE
Which g above c stating lying ca stating lying ca PART I 20a. ACC INJURY 20d. INJURY WHILE AT 21	ions, if any, lave rise to cause (a), the under- ause last. DL CIDENT SUCIDE HO CIDENT SUCIDE HO A.M. p.m. COCCURRED NOT WHILE AT WORK	JE TO (b) JE TO (c) ONS CONTRIBUT Year OF INJURY (e.g., infice building, etc.)	DESCRIBE HOW INJURY OC	CCURRED, (Enter nature of injury in 20f. CITY, TOWN, OR LOCATI	ASE CONDITION GIVEN Part I or Part II of Item ON COU	IN PART I(a) 8.)	FORMED? YES NO STATE
which g above c stating lying ca PART I 20a. ACC 20c. TIME O INJURY 20d. INJURY WHILE AT 2 21. hereby of	cons, if any, lave rise to cause (a), the under- ause last. DL II. OTHER SIGNIFICANT CONDITI CIDENT SUICIDE HO OF Hour Month Day a.m. p.m. OCCURRED NOT WHILE AT WORK Certify that I attended the deceased	JE TO (b) JE TO (c) ONS CONTRIBUT Year OF INJURY (e.g., infice building, etc.)	DESCRIBE HOW INJURY OC	CCURRED, (Enter nature of injury in	ASE CONDITION GIVEN Part I or Part II of Item ON COUR	IN PART I(a) 18.) NTY	FORMED? YES NO STATE

Removal-Burial 23d. LOCATION (City, town, or county) Houston 25a. REGISTRAR'S FILE NO.

Joseph

23a. BURIAL, CREMATION, REMOVAL (Specify)

22a. SIGNATURE

Jachinezyk, M.D. August 30, 1973 (State)

Texas

25b. DATE REC'D BY LOCAL REGISTRAR

(Degree or title)

22b. ADDRESS

23c. NAME OF CEMETERY OR CREMATORY Moodlawn Garden of Memories

24. FUNERAL DIRECTOR'S SIGNATURE

#5026 PAT H. POLEY & CO. - David L. Pres

Houston, Texas

9-26-73

25c. REGISTRAR'S SIGNATURE

73-3317

Harris County Medical Examiner c/o Ben Taub General Hospital 1502 Outer Belt Drive Houston, Texas

Attn: Dr. Jos. Jachimczyk

to the firm of PA	T H FOLE	CO. Funer	al Directo	ors, after
to the 111m of 1A	I III TODLE	001, 141102		
completion of the	examinat@	1.	7	*
The state of the last	1	0	.1	-1
		Den	is a	20 8/2
		0 7	Sign	ed
		- 4	Father	ā
		Rel	ation to	
	*			
STATE OF TEXAS	*			
	*		1000	
COUNTY OF HARRIS	*			
	*		1	
This instrument w	as sworn to	and subscri	bed before	e me this
th NXIN Day of	the Month	of	August	

Notary Public in and for the State of Texas, County of Harris

Dr. Jachimczyk July 8, 1974 73-3334; 73-3335; Marty Ray Jones; Charles Cobble; 73-3377; 73-3409; Homer Luis Garcia; Frank Anthony 73-3412 Aguirre; Johnny Ray Delone Elmer Wayne Henley 175th District 74-CR-424 Bexar County Court Dr. Jackinezyk testified 7-10-74 through 7-11-74 House San Antonio, Texas